

FIP TREATMENT TRACKER

Daily Treatment & Progress Log

CAT INFORMATION

Cat's Name		Starting Weight	
FIP Type	☐ Wet ☐ Dry ☐ Ocular ☐ Neuro	Concentration	
Treatment Start		Starting Dose	
Medication	GS-441524	Clinic / Veterinarian	

DAILY TREATMENT LOG

Day	Date	Weight (kg)	Dosage (mg/kg)	Dose (ml)	Injection Site	Appetite	Energy	Remarks
1						☆☆☆☆☆	☆☆☆☆☆	
2						☆☆☆☆☆	☆☆☆☆☆	
3						☆☆☆☆☆	☆☆☆☆☆	
4						☆☆☆☆☆	☆☆☆☆☆	
5						☆☆☆☆☆	☆☆☆☆☆	
6						☆☆☆☆☆	☆☆☆☆☆	
7						☆☆☆☆☆	☆☆☆☆☆	
8						☆☆☆☆☆	☆☆☆☆☆	
9						☆☆☆☆☆	☆☆☆☆☆	
10						☆☆☆☆☆	☆☆☆☆☆	
11						☆☆☆☆☆	☆☆☆☆☆	
12						☆☆☆☆☆	☆☆☆☆☆	
13						☆☆☆☆☆	☆☆☆☆☆	

Day	Date	Weight (kg)	Dosage (mg/kg)	Dose (ml)	Injection Site	Appetite	Energy	Remarks
14						☆☆☆☆☆	☆☆☆☆☆	
15						☆☆☆☆☆	☆☆☆☆☆	
16						☆☆☆☆☆	☆☆☆☆☆	
17						☆☆☆☆☆	☆☆☆☆☆	
18						☆☆☆☆☆	☆☆☆☆☆	
19						☆☆☆☆☆	☆☆☆☆☆	
20						☆☆☆☆☆	☆☆☆☆☆	
21						☆☆☆☆☆	☆☆☆☆☆	
22						☆☆☆☆☆	☆☆☆☆☆	
23						☆☆☆☆☆	☆☆☆☆☆	
24						☆☆☆☆☆	☆☆☆☆☆	
25						☆☆☆☆☆	☆☆☆☆☆	
26						☆☆☆☆☆	☆☆☆☆☆	
27						☆☆☆☆☆	☆☆☆☆☆	
28						☆☆☆☆☆	☆☆☆☆☆	
29						☆☆☆☆☆	☆☆☆☆☆	
30						☆☆☆☆☆	☆☆☆☆☆	
31						☆☆☆☆☆	☆☆☆☆☆	
32						☆☆☆☆☆	☆☆☆☆☆	
33						☆☆☆☆☆	☆☆☆☆☆	
34						☆☆☆☆☆	☆☆☆☆☆	

Day	Date	Weight (kg)	Dosage (mg/kg)	Dose (ml)	Injection Site	Appetite	Energy	Remarks
35						☆☆☆☆☆	☆☆☆☆☆	
36						☆☆☆☆☆	☆☆☆☆☆	
37						☆☆☆☆☆	☆☆☆☆☆	
38						☆☆☆☆☆	☆☆☆☆☆	
39						☆☆☆☆☆	☆☆☆☆☆	
40						☆☆☆☆☆	☆☆☆☆☆	
41						☆☆☆☆☆	☆☆☆☆☆	
42						☆☆☆☆☆	☆☆☆☆☆	
43						☆☆☆☆☆	☆☆☆☆☆	
44						☆☆☆☆☆	☆☆☆☆☆	
45						☆☆☆☆☆	☆☆☆☆☆	
46						☆☆☆☆☆	☆☆☆☆☆	
47						☆☆☆☆☆	☆☆☆☆☆	
48						☆☆☆☆☆	☆☆☆☆☆	
49						☆☆☆☆☆	☆☆☆☆☆	
50						☆☆☆☆☆	☆☆☆☆☆	
51						☆☆☆☆☆	☆☆☆☆☆	
52						☆☆☆☆☆	☆☆☆☆☆	
53						☆☆☆☆☆	☆☆☆☆☆	
54						☆☆☆☆☆	☆☆☆☆☆	
55						☆☆☆☆☆	☆☆☆☆☆	

Day	Date	Weight (kg)	Dosage (mg/kg)	Dose (ml)	Injection Site	Appetite	Energy	Remarks
56						☆☆☆☆☆	☆☆☆☆☆	
57						☆☆☆☆☆	☆☆☆☆☆	
58						☆☆☆☆☆	☆☆☆☆☆	
59						☆☆☆☆☆	☆☆☆☆☆	
60						☆☆☆☆☆	☆☆☆☆☆	
61						☆☆☆☆☆	☆☆☆☆☆	
62						☆☆☆☆☆	☆☆☆☆☆	
63						☆☆☆☆☆	☆☆☆☆☆	
64						☆☆☆☆☆	☆☆☆☆☆	
65						☆☆☆☆☆	☆☆☆☆☆	
66						☆☆☆☆☆	☆☆☆☆☆	
67						☆☆☆☆☆	☆☆☆☆☆	
68						☆☆☆☆☆	☆☆☆☆☆	
69						☆☆☆☆☆	☆☆☆☆☆	
70						☆☆☆☆☆	☆☆☆☆☆	
71						☆☆☆☆☆	☆☆☆☆☆	
72						☆☆☆☆☆	☆☆☆☆☆	
73						☆☆☆☆☆	☆☆☆☆☆	
74						☆☆☆☆☆	☆☆☆☆☆	
75						☆☆☆☆☆	☆☆☆☆☆	
76						☆☆☆☆☆	☆☆☆☆☆	

Day	Date	Weight (kg)	Dosage (mg/kg)	Dose (ml)	Injection Site	Appetite	Energy	Remarks
77						☆☆☆☆☆	☆☆☆☆☆	
78						☆☆☆☆☆	☆☆☆☆☆	
79						☆☆☆☆☆	☆☆☆☆☆	
80						☆☆☆☆☆	☆☆☆☆☆	
81						☆☆☆☆☆	☆☆☆☆☆	
82						☆☆☆☆☆	☆☆☆☆☆	
83						☆☆☆☆☆	☆☆☆☆☆	
84						☆☆☆☆☆	☆☆☆☆☆	
85						☆☆☆☆☆	☆☆☆☆☆	
86						☆☆☆☆☆	☆☆☆☆☆	
87						☆☆☆☆☆	☆☆☆☆☆	
88						☆☆☆☆☆	☆☆☆☆☆	
89						☆☆☆☆☆	☆☆☆☆☆	
90						☆☆☆☆☆	☆☆☆☆☆	

IMPORTANT TREATMENT REMINDERS

Weight monitoring and dose adjustments are essential throughout FIP treatment.

- **Weigh accurately and regularly.** Use a precise cat or baby scale and record your cat's weight at least once a week. Kittens and cats whose weight is changing quickly may need to be weighed more often.
- **Increase the dose as weight increases.** Weight gain is expected as your cat improves. Recalculate the dose whenever weight increases so the antiviral dose remains appropriate and effective.
- **Do not reduce the dose after weight loss.** If your cat loses weight as abdominal or chest fluid is absorbed, keep the current dose unchanged. Only adjust the dose upwards when weight increases, unless your veterinarian advises otherwise.
- **Share changes with your treatment provider.** Contact your veterinarian or treatment provider if weight, appetite, energy, symptoms, or treatment response changes unexpectedly. Inadequate dose adjustment is a recognised risk for regression during treatment and relapse.

Always follow the dosing plan provided by your veterinarian or qualified treatment provider.